

DECLARATION OF COMPLIANCE

Materials Handling and Storage Containers

| Product Name | Product Code | Compatible With | Size | Capacity | Colour | DOC Material |
|---|--------------|---------------------------------------|--|----------|--|---------------|
| Interstacking Dolly/ Plastic Castors | TS5380 | All interstacking bins and W3085 bins | 440x440x180mm | | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Interstacking Dolly Stainless Steel Castors | TS5380SS | All interstacking bins and W3085 bins | 440x440x180mm | | RD, GN, WT, YL | Revolve N-250 |
| Interstacking Bin | TS4070 | TS5380/ TL2021/ TL2020 | Ø440x650mm | 64L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Interstacking Bin | TS4050 | TS5380/ TL2021/ TL2020 | Ø440x420mm | 40L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Interstacking Bin | TS4035 | TS5380/ TL2021/ TL2020 | Ø440x300mm | 28L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Interstacking Bin | TS4020 | TS5380/ TL2021/ TL2020 | Ø440x175mm | 15L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Tapered Trucks | TP5455 | | | 45L | RD | Revolve N-250 |
| Tapered Trucks (With Blue Frame) | TP5370 | | | 370L | WT, BL, YL, GN, BK, OR, PU, GY | Revolve N-250 |
| Tapered Trucks (With Red Frame) | TP5370-RD | | | 370L | RD | Revolve N-250 |
| Tapered Trucks (With Blue Frame) | TP5320 | | | 320L | WT | Revolve N-250 |
| Tapered Trucks | TP3370 | TP5000/TL3370 | 1010x730x616mm | 370L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Tapered Trucks | TP3320 | TL3320 | 1010x730x635mm | 320L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Tapered Trucks | TP3270 | TL3270 | 915x735x515mm | 270L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Tapered Trucks | TP3150 | | 890x585x385mm | 150L | BL | Revolve N-250 |
| Truck Base | TP3140-BASA | TP3140 | Plastic Base c/w x 4 castors and fixings | | NA | |
| Tapered Trucks | TP3140 | TL3140 | | 140L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN | Revolve N-250 |
| Tapered Trucks | TP3135 | TL3135 | 630x530x605mm | 135L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Tapered Trucks | TP3100 | TL3100 | 560x460x485mm | 100L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Tapered Trucks | TP2250 | TL2250 | Ø700x890 | 215L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |

| Product Name (cont.) | Product Code (cont.) | Compatible With (cont.) | Size (cont.) | Capacity (cont.) | Colour (cont.) | DOC Material (cont.) |
|-----------------------------|----------------------|---------------------------------|----------------|------------------|--|----------------------|
| Tapered Trucks | TP2170 | TL2170 | | 170L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Tapered Trucks | TP2110 | TL2110 | Ø575x650mm | 110L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Tapered Trucks | TP2085 | TL2085 | Ø570x615mm | 85L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Tapered Trucks | TP2065 | TL2065 | Ø510x585mm | 65L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Tapered Trucks | TP2045 | TL2045 | Ø460x520mm | 45L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Tapered Trucks | TP2020 | TL2020 | Ø350x390mm | 20L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Tapered Trucks | TP1625 | TL1625 | | 625L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Tapered Trucks | TP1455 | TL1455 | 1345x730x755mm | 455L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN | Revolve N-250 |
| Tapered Trucks | TP1320 | TL1161 | 1010x685x735mm | 320 L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Tapered Trucks | TP1270 | TL1270 | 915x735x610mm | 270L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Tapered Trucks | TP1200 | TL1196 | 825x480x750mm | 200L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Tapered Trucks | TP1135 | TL1135 | 620x530x690mm | 135L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Tapered Trucks | TP1118 | TL1072 | 460x460x760mm | 118 L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Straight Sided Truck | TS1095 | TL1095 | | 95L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BR | Revolve N-250 |
| Tapered Trucks | TP1072 | TL1072 | 460x460x510mm | 72L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Static Ingredient Dispenser | TN2140 | Stainless steel flap | 685x300x640mm | 40L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Static Ingredient Dispenser | TN2040 | Shatterproof polycarbonate flap | 685x300x640mm | 40L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Static Ingredient Dispenser | TN2108 | Stainless steel flap | 250x295x400mm | 8L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Static Ingredient Dispenser | TN2008 | Shatterproof polycarbonate flap | 250x295x400mm | 8L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Static Ingredient Dispenser | TN2115 | Stainless steel flap | 500x250x500mm | 15L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |

| Product Name (cont.) | Product Code (cont.) | Compatible With (cont.) | Size (cont.) | Capacity (cont.) | Colour (cont.) | DOC Material (cont.) |
|-----------------------------|----------------------|---------------------------------|---------------|------------------|--|----------------------|
| Static Ingredient Dispenser | TN2015 | Shatterproof polycarbonate flap | 500x250x500mm | 15L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Mobile Ingredient Dispenser | TN1141 | Stainless steel flap | 580x524x730mm | 140L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Mobile Ingredient Dispenser | TN1140 | Shatterproof polycarbonate flap | 580x524x730mm | 140L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Mobile Ingredient Dispenser | TN1091 | Stainless steel flap | 580x380x730mm | 90L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Mobile Ingredient Dispenser | TN1090 | Shatterproof polycarbonate flap | 580x380x730mm | 90L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Mobile Ingredient Dispenser | TN1061 | Stainless steel flap | 580x293x730mm | 65L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Mobile Ingredient Dispenser | TN1065 | Shatterproof polycarbonate flap | 580x293x730mm | 65L | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Rectangle Tapered Lid | TL3370 | TP3370 | | | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Rectangle Tapered Lid | TL3320 | TP3320 | | | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Rectangle Tapered Lid | TL3270 | TP3270 | | | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Rectangle Tapered Lid | TL3140 | TP3140 | | | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Rectangle Tapered Lid | TL3135 | TP3135 | | | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Rectangle Tapered Lid | TL3100 | TP3100 | | | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Round Tapered Lid | TL2250 | TP2250 | | | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Rectangle Tapered Lid | TL2170 | TP2170 | | | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Tapered Lid | TL2110 | TP2110 | | | WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK | Revolve N-250 |
| Round Tapered Lid | TL2085 | TP2085 | | | WT, BL, RD, YL, GN, BK, OR, PU, GY, BR, PK | Revolve N-250 |
| Round Tapered Lid | TL2065 | TP2065 | | | WT, BL, RD, YL, GN, BK, OR, PU, GY, BR, PK | Revolve N-250 |
| Round Tapered Lid | TL2045 | TP2045 | | | WT, BL, RD, YL, GN, BK, OR, PU, GY, BR, PK | Revolve N-250 |
| Tapered Lid Click Fit | TL2022 | All TS codes | Ø440mm | Ø440mm | WT, BL, RD, YL, GN, BK, OR, PU, GY, BR, PK | Revolve N-250 |

| Product Name (cont.) | Product Code (cont.) | Compatible With (cont.) | Size (cont.) | Capacity (cont.) | Colour (cont.) | DOC Material (cont.) |
|----------------------|----------------------|-------------------------|--------------|------------------|--|----------------------|
| Tapered Lid Standard | TL2021 | All TS codes | Ø440mm | Ø440mm | WT, BL, RD, YL, GN, BK, OR, PU, GY, BR, PK | Revolve N-250 |
| Round Tapered Lid | TL2020 | TP2020 | | | WT, BL, RD, YL, GN, BK, OR, PU, GY, BR, PK | Revolve N-250 |
| Tapered Lid | TL1625 | TP1625 | | | WT, BL, RD, YL, GN, BK, OR, PU, GY, BR, PK | Revolve N-250 |
| Tapered Lid | TL1455 | TP1455 | | | WT, BL, RD, YL, GN, BK, OR, PU, GY, BR, PK | Revolve N-250 |
| Tapered Lid | TL1270 | TP1270 | | | WT, BL, RD, YL, GN, BK, OR, PU, GY, BR, PK | Revolve N-250 |
| Tapered Lid | TL1196 | TP1200 | | | WT, BL, RD, YL, GN, BK, OR, PU, GY, BR, PK | Revolve N-250 |
| Tapered Lid | TL1161 | TP1320 | | | WT, BL, RD, YL, GN, BK, OR, PU, GY, BR, PK | Revolve N-250 |
| Tapered Lid | TL1135 | TP1135 | | | WT, BL, RD, YL, GN, BK, OR, PU, GY, BR, PK | Revolve N-250 |
| Tapered Lid | TL1130 | TS1130 | | | WT, BL, RD, YL, GN, BK, OR, PU, GY, BR, PK | Revolve N-250 |
| Tapered Lid | TL1095 | TS1095 | | | WT, BL, RD, YL, GN, BK, OR, PU, GY, BR, PK | Revolve N-250 |
| Tapered Lid | TL1072 | TP1072, TP1118 | | | WT, BL, RD, YL, GN, BK, OR, PU, GY, BR, PK | Revolve N-250 |

Product: Rotationally-moulded food storage containers.

Intended Applications: Storage of all food types (dry, aqueous, acidic and fatty foods) at room temperature or below or, up to a maximum of 47°C.

We confirm that the above-mentioned products are in conformity with the applicable requirements of the following regulations and standards:

EU Framework Regulation (EC) No. 1935/2004: (Applicable to all food contact materials) Containers comply with the applicable requirements of Regulation (EC) No.1935/2004 on Materials and Articles intended to come into contact with food articles, including Article 3 (General Requirements) and Article 17 (Traceability).

Good Manufacturing Practice Regulation (EC) No. 2023/2006: (Applicable to all food contact materials) Containers are manufactured under a quality assurance system which meets the requirements of Regulation (EC) no. 2023/2006 on Good Manufacturing Practice for materials and articles intended to come into contact with food articles.

EU Commission regulation (EU) No.10/2011 on plastic materials intended to come into contact with food articles: Containers are compliant with the compositional and overall/specific migration restrictions of EU Regulation 10/2011 including updates to the date of this statement, for their intended applications. (Regulations 1282/2011, 1183/2012, 202/2014, 174/2015, 2016/1416, 2017/752, 2018/79, 2018/213, 2018/831, 2019/37, 2019/1338 and 2020/1245.)

The following substances with specific migration limits (SML's) may be associated with the containers. No further migration testing is necessary.

| Substance | EU Food contact material number | EU Substance Ref No | SML (mg/kg) |
|--|---------------------------------|---------------------|-------------|
| 1-Hexene | 356 | 18820 | 3 |
| 1-Octene | 264 | 22660 | 15 |
| Poly[(2,2,6,6-tetramethylpiperidine-1,4 diyl) ethyleneoxy succinyloxy] | 716 | 60800 | 30 |
| Poly[[6-[(1,1,3,3-tetramethylbutyl)amino]-1,3,5-triazine-2,4-diy]][(2,2,6,6-tetramethyl-4-piperidiny)imino]-1,6-hexanediy] [(2,2,6,6-tetramethyl-4-piperidiny)imino] | 740 | 81200 | 3 |

UK Statutory Instrument 2012 No. 2619 The Materials and Articles in Contact with Food (England) Regulations (& identical devolved regulations in Scotland, Wales and Northern Ireland) and Statutory Instrument 2019 No.704. - The Materials and Articles in Contact with Food (Amendment) (EU Exit) Regulations 2019.


Council of Europe Resolution AP 89/1 on the use of Colorants in Plastic Materials coming into contact with food.

Dual use food additives: No migratory dual use food additives are associated with the containers.

This certificate was prepared on behalf of Klipspringer Ltd and the information included is to the best of our knowledge correct at the time of writing. Klipspringer offers the information within this document as a guide only, they do not represent any guarantee of the prescribed products in the sense of the legal guarantee regulations. It is the responsibility of the end user to ensure the items purchased are suitable for the intended application.

| | |
|-------------------|---|
| Supplier/Importer | Klipspringer Ltd |
| Address | Rynor House, Farthing Road, Ipswich, Suffolk, UK. IP1 5AP |
| Telephone | +44 (0) 1473 461 800 |
| Email | sales@klipspringer.com |
| Website | www.klipspringer.com |

Declaration of compliance in line with Annex 4 10/2011/EC

| | | | |
|---|---|---------------|------------|
| Sheena Britton Technical Compliance Manager Klipspringer 04-02-2022 |  | Date of Issue | 04-02-2022 |
| | | Authorised by | S. Britton |
| | | Revision No. | 007 |
| | | Revised by | S. Smith |