

## DECLARATION OF COMPLIANCE

### Moulded Trays and Dollies

**Product Description: Food contact suitable PP, HDPE and MDPE moulded trays and dollies**

Product Code	Product Description	Colour	Internal Length (mm)	Internal Width (mm)	Internal height (mm)	Capacity (L)	Weight (Kg)	Materials	Sides/Base
PR1142-	Plastic Lid for Bakery Tray, 765 x 455mm, blue	BL	NA	NA	NA	NA	1.2	HDPE	Solid
PM201A-	Stacking Box, 600x400x220mm	WT; RD; OR; YL; PU; BL; GN; GY; BN; PK	545	345	205	43.8	1.9	PP	Solid
PM213-	Lid for Stacking Box 600x400	BL; GY; OR; RD; YL; GN; PU; WT; PK	NA	NA	NA	NA	0.7	PP	Solid
PM200A-	Stacking Box, 600x400x120mm	GY; RD; YL; B; GN; OR; WT; PU; PK	552	352	105	23.7	1.4	PP	Solid
PM202A-	Stacking Container, 600x400x325mm	BL; GY; RD; YL; GN	550	350	310	65	2.5	PP	Solid
PM311BH-	Plastic Stacking Tray, 765x455x175mm	BK; RD; BL; GN	735	425	160	50	3.5	PP	Solid
PM212A-	Stacking Box, 600x400x235mm	BL; RD; GN	550	350	220	45	2.2	HDPE	Solid
PR1142-	Plastic Lid for Bakery Tray, 765 x 455mm	YL	NA	NA	NA	NA	1.2	PP	Solid
PM207A-	Stacking Box, 400x300x170mm	RD	350	250	155	15.5	0.9	PP	Solid
PM214-	Lid for Stacking Box, 400x300	RD; BL; YL; WT	NA	NA	NA	NA	0.35	PP	Solid
PM111C-	Stacking Tray, 765x455x90mm	BL; RD; YL; GN; WT; PU	735	425	80	20	2.1	HDPE	Perforated
PM111D-	Stacking Tray with mesh base and sides, 765x455x90mm	BL ; GN ; PK ; PU ; YL ;	735	425	80	20	1.7	HDPE	Perforated
PR1175-	Plastic Dolly for Stacking Container 600x400mm	GY; BL; GN; WT; RD; OR; PU; YL; PK	605	407	25		4.25	MDPE	

Product Code	Product Description	Colour	Internal Length (mm)	Internal Width (mm)	Internal height (mm)	Capacity (L)	Weight (Kg)	Materials	Sides/Base
PM203A-	Stacking Box, 400x300x120mm	BL; YL; RD; WT; GY	352	252	105	11	0.8	PP	Solid
PM725-	Stacking Container, 600x400x190mm, Ventilated	BL; PU; BK; GN; YL, GY	545	347	173	35	1.61	PP	Perforated
PM204A-	Stacking Box, 400x300x220mm	YL; RD; WT; GN; BL	345	245	205	19.8	1.01	PP	Solid
PM209-	Stacking Box, 600x400x425mm	RD; GY	550	350	410	84.5	3	PP	Solid
PM205A-	Stacking Container, 400x300x325mm	BL; GN; GY; RD; YL	350	250	310	30.2	1.5	PP	Solid
PR1126-	Plastic Dolly for Stacking Container 765x455mm	YL; WT; BL; RD; GN					5.6	MDPE	
PM311BH-	Plastic Stacking Tray with Handles, 765x455x175mm,	BK; BL; GN; PU; RD; WT	735	425	160	50	3.5	PP	Solid
PM211B-	Stacking Tray, 765x455x125mm	GN	735	425	110	30	2.1	PP	Solid
PM200C-	Stacking Box, 600x400x120mm	WT	552	352	105	23.7	1.2	PP	Perforated/solid
PM211DH-	Stacking Tray, 765x455x125mm, red	BL; GN; RD; WT; YL	735	425	110	30	2.1	PP	Solid
PM311DH-	Plastic Stacking Tray, 765x455x175mm, mesh sides and base	BL; GN; RD; WT; YL	735	425	160	50	2.6	HDPE	Perforated
PM111D-	Stacking Tray with mesh base and sides, 765x455x90mm	BL; GN; PK; PU; YL	735	425	80	20	1.7	HDPE	Perforated
PM111C-	Stacking Tray, 765x455x90mm, perforated base and slotted sides	BL; RD; WT; YL; PU	735	425	80	20	2.1	HDPE	Perforated
PM203B-	Stacking Box with open sides, 400x300x120mm	GY	352	252	105	11	0.8	PP	Perforated/solid
PM200B-	Stacking Container, 600x400x120mm, Perforated sides and base	GN	552	352	105	23.7	1.3	PP	Perforated/solid
PM200A-BGBL	Stacking Box, 600x400x120mm, beige/blue	BL/BG	556	356	109	22	1.475	HDPE	Solid

Product Code	Product Description	Colour	Internal Length (mm)	Internal Width (mm)	Internal height (mm)	Capacity (L)	Weight (Kg)	Materials	Sides/Base
PR1142-	Plastic Lid for Bakery Tray, 765 x 455mm	BL; GN; RD; WT; YL	NA	NA	NA	NA	1.2	HDPE	
PM211BH-	Stacking Tray, 765x455x125mm, with handles	WT	735	425	110	30	2.1	PP	Solid
PM111E-	Stacking Tray, 765x455x90mm, perforated sides, solid base	WT	735	425	80	20	1.8	PP	Perforated /solid
PM207A-	Stacking Box, 400x300x170mm	BK; BL; GN; GY; RD; WT; YL	350	250	155	15.5	0.9	PP	Solid
PM221A-	Stacking Container, 800 x 600x 220mm	GY	748	548	216	90	4.3	PP	Solid
TB1030-	Hygienic Stacking Box	GY; BL; BK; GN; WT; RD; OR; PU; YL; PK	560	360	155	30	2.2	MDPE	Solid
TB1050-	Hygienic Stacking Box	GY; BL; BK; GN; WT; RD; OR; PU; YL; PK	560	360	240	48	2.9	MDPE	Solid
TL4010-	Hygienic Stacking Box Lid	GY; BL; BK; GN; WT; RD; OR; PU; YL; PK	NA	NA	NA	NA	1.2	MDPE	Solid

## Food Contact Compliance Statement

### POLYETHYLENE AND POLYPROPYLENE MOULDINGS

Klipspringer Ltd declares that the above product complies with the following EC Regulations:

- Regulation EC No 1935/2004 on materials and articles intended to come into contact with food.
- Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food, including its amendments (EU) No 1282/2011, (EU) No 1183/2012, (EU) No 202/2014, (EU) No 2015/174, (EU) No 2016/1416, 2017/2102(EU) and 2020/1245 (EC).
- Regulation EC No 2023/2006 on good manufacturing practice for materials and articles intended to come into contact with food.

Compliance was verified by overall migration testing using food simulants A, B and D2. Overall migration limits were not exceeded through testing accreditation of November 2024.

Products also comply with the European Parliament and Council Directive 1333/2008 (EC) of December 12<sup>th</sup>, s008, concerning OJ L 36554 of 12/12/2008 on food additives.

These products can be used in contact with foodstuffs for:

- Long term storage above 6 months at room temperature or below and/or
- Periods up to 2 hours at up to 70°C and/or
- Periods up to 60 minutes at up to 100°C

Criteria of MO2, OM3 and OM4 are consistently achieved.

## Specification on the intended use of the Product

- Types of food intended to come into repeated contact with the product:

### All types of food

- Types of food NOT intended to come into repeated contact with the product:

Not applicable


## Cleaning:

Use warm water and detergent to clean the trays and dollies. Rinse and allow to dry.

***This certificate was prepared on behalf of Klipspringer Ltd and the information included is to the best of our knowledge correct at the time of writing. Klipspringer offers the information within this document as a guide only, they do not represent any guarantee of the prescribed products in the sense of the legal guaranteed regulations. It is the responsibility of the end user to ensure the items purchased are suitable for the intended application.***

Supplier/Importer	Klipspringer Ltd
Address	Foxtail House, Ransomes Industrial Estate, Ipswich, Suffolk, UK, IP3 9RX
Telephone	+44 (0) 1473 461 800
Email	sales@klipspringer.com
Website	www.klipspringer.com

**Declaration of compliance in line with Annex 4 10/2011/EC**

Sheena Britton Technical Compliance Manager Klipspringer		Date of Issue	20.11.2025
		Authorised by	S. Britton
		Revision No.	009
		Revised by	K.Smith